Mini forno rotativo a convezione ad aria calda Bakesphere BSM-5DHX

Caratteristiche principali del mini forno a convezione rotante ad aria calda Bakesphere BSM-5DHX

È disponibile una leggera personalizzazione.

1.L'interno e l'esterno del forno sono tutti in acciaio inossidabile, funzionalità robusta, dimensioni ridotte, basso consumo energetico, grande rendimento

2. Controllo automatico della temperatura, doppi timer per controllare separatamente il tempo di cottura e il tempo di spruzzatura del vapore

3. Condotto regolabile per garantire la completa convezione dell'aria calda e una distribuzione uniforme nella camera, con luci

4. Il motore può essere invertito automaticamente in tempo per raggiungere la cottura

5. Realizzato in acciaio inossidabile 201 di spessore 1,2 mm per il guscio esterno e pannello a specchio 201 in acciaio inossidabile di spessore 1,5 mm per la cavità interna.

Immagini del prodotto del mini forno a convezione rotante ad aria calda Bakesphere BSM-5DHX

Specification



Model: BSM-5DHX

Heating Way: Electric

Power: 9KW

Voltage: 105-110V / 220-240V / 380-415V

N.W: 230KG

Material: 1.2mm thick stainless steel shell, inner chamber
1.5mm thick 201 mirror panel stainless steel

Capacity: 5 trays of 400*600mm (15.75 x 23.6 inch)

* Other applicable baking tray sizes
460*720mm Maximum (18 x 28.3 inch)
460*660mm (18 x 26 inch)
450*650mm (17.7 x 25.6 inch)

Overall Description

Construction

1. Full stainless steel
2. Glass window door
3. Mounted on stainless steel stock rack
4. EXT.DIM L*W*H 30*54*67.5 inch (915x1375x1715mm)

Oven Features

1. Rotating baking rack design
2. 5 decks(3.5 inch space distance)
3. Applicable tray size: 15.75*23.6 inch /18*28.3 inch / 18*26 inch / 17.7*25.6 inch
   (400*600mm/460*720mm/460*660mm/450*650mm)
4. Motor: 1/2 HP (0.37KW)
5. Motor can automatically turns reversed direction

Controls

1. Baking temperature range: 150°F-570°F (6°C-300°C)
2. 12 minutes to reach 392°F (200°C)
3. 20 application menus, including 10 menus can be set up in 5 sections.
4. Separate control for baking timer and steaming timer
5. 380v/220v/110V, 50/60HZ, 9KW/13.5A cord

Product Features

DURABLE
STAINLESS STEEL CONSTRUCTION

Both the interior and exterior of the oven are crafted from stainless steel, ensuring robust functionality and longevity.

The oven's design combines compact size with high output, all while maintaining low energy consumption.

HIGH-QUALITY MATERIALS

The outer shell is constructed from 1.2mm thick 201 stainless steel, while the inner cavity features a 1.5mm thick 201 mirror panel stainless steel. This combination offers both durability and a sleek, reflective interior for optimal performance.

EFFICIENT HOT AIR CONVECTION

Equipped with rotary heating fan hot air circulation system, the oven ensures full convection of hot air and uniform heat distribution throughout the chamber.

Additionally, the oven is fitted with internal lights for better visibility.

PRECISE AUTOMATIC CONTROLS

The oven features an automatic temperature control system.
It includes double timers that separately manage the baking time and steam spray duration, providing precise control over the baking process

AUTOMATIC MOTOR REVERSAL

The motor is designed to reverse direction automatically at set intervals.
This function ensures even baking and consistent results across all batches.

Details

1
4
7




1
2
4
5
7
8

Real Shot Pictures

Bakesphere

Bakesphere