

4
 e

1. high quality
- 2.
- 3.
- 4.
- 5.
6. Tsingbuy12









Tsingbuy 15 ODM OEM



Regular Specification of Single Loaf Bread Baking Pan

Model	Dough Weight	Size		Thickness
		Upper	Bottom	
TSTP036	250g	164x94 mm	158x87 mm	77 mm
TSTP037	300g	175x100 mm	173x98 mm	100 mm
TSTP038	385g	217x94 mm	211x88 mm	77 mm
TSTP039	450g	197x106 mm	186x101 mm	110 mm
TSTP040	600g	309x91 mm	300x84 mm	107 mm
TSTP041	750g	316x100 mm	305x93 mm	116 mm
TSTP042	900g	327x106 mm	316x100 mm	122 mm
TSTP043	1000g	327x121 mm	312x119 mm	120 mm
TSTP044	1200g	370x120 mm	361x116 mm	125 mm
TSTP045	1500g	450x123 mm	447x120 mm	130 mm




The key specifications of custom made strap loaf baking pans

FOR ORDERING TIN SETS

PLEASE NOTE:

1. The dimensions of a single mould (A, B, C, D, H)
2. The number of moulds in a tin set
3. Type of the frame - Projecting (with handles) or Closed (adjacent) frame
4. Outside dimensions of the frame
5. Oven rack dimensions: (X, Y, Z)
6. Runner (shelve) size in mm
7. Type of coating: no coating, PFA, FEP, Silicone, blackened outside

COATINGS




Dimensions of the mould:


- A = length of the top (inside)
- B = width of the top (inside)
- C = length of the bottom (outside)
- D = width of the bottom (outside)
- H = height (inside)

Dimensions of the rack:

- X = width of the oven rack
- Y = free opening between the runners (shelves)
- Z = distance between the runners (shelves)



Cases of Custom Made Strap Loaf Pans






Lid




Bottom corner




Holes at bottom



wire in rim
curling edge



Procedures for custom made loaf baking pans



1. DRAWING



2. DESIGN



3. PRODUCT



6. SHIPPING



5. LOADING



4. PACKING

- PRODUCT DISPLAY -



