

Ekskluzywny piekarnik elektryczny BSM-60DSJ Bakesphere - 3 półki na 6 blach

Główne cechy piekarnika elektrycznego BSM-60DSJ Bakesphere Exclusive - 3 półki na 6 blach


Dostępna jest lekka personalizacja.

1. Wewnątrz i na zewnątrz piekarnika wszystko ze stali nierdzewnej, mocne działanie, mały rozmiar, niskie zużycie energii, duża wydajność
2. Automatyczna kontrola temperatury, podwójne timery do oddzielnej kontroli czasu pieczenia i czasu natryskiwania pary
3. Wyregulować kanał, aby zapewnić pełną konwekcję i równomierne rozprowadzanie gorącego powietrza w komorze, za pomocą oświetlenia
4. Silnik można automatycznie odwrócić na czas, aby dotrzeć do pieczenia
5. Wykonane ze stali nierdzewnej 201 o grubości 1,2 mm w przypadku powłoki zewnętrznej i panelu lustrzanego 201 o grubości 1,5 mm w przypadku wewnętrznej wnęki.

Zdjęcia produktu: Piekarnik elektryczny BSM-60DSJ Bakesphere Exclusive - 3 półki na 6 blach



Specification



Model: BSM-60DSJ

Heating Way: Electric

Power: 19.3KW

Voltage: 105-110V / 220-240V / 380-450V

Material: 1.2mm thick stainless steel shell, inner chamber

1.5mm thick 201 mirror panel stainless steel

Capacity: 3 deck for 6 trays of 400*600mm(15.75 x 23.6 inch)

*** Other applicable baking tray sizes**

460*720mm Maximum (18 x 28.3 inch)

460*660mm (18 x 26 inch)

450*650mm (17.7 x 25.6 inch)



Overall Description

Construction

1. Full stainless steel
2. Glass window door
3. Mounted on stainless steel stock rack
4. EXT.DIM L*W*H 1280x990x2050mm (50.4x38x80.7 inch)

Oven Features

1. Rotating baking rack design
2. 3 decks for 6 trays (3.5 inch space distance)
3. Applicable tray size: 15.75*23.6 inch / 18*28.3 inch / 18*26 inch / 17.7*25.6 inch
(400*600mm/460*720mm/460*660mm/450*650mm)
4. Motor: 1/2 HP (0.37KW)
5. Motor can automatically turns reversed direction

Controls

1. Baking temperature range: 150°F-570°F (6°C-300°C)
2. 12 minutes to reach 392°F (200°C)
3. 20 application menus, including 10 menus can be set up in 5 sections.
4. Separate control for baking timer and steaming timer
5. 380v/220v/110V, 50/60HZ, 9KW/13.5A cord

Product Features



DURABLE STAINLESS STEEL CONSTRUCTION

Both the interior and exterior of the oven are crafted from stainless steel, ensuring robust functionality and longevity.

The oven's design combines compact size with high output, all while maintaining low energy consumption.



HIGH-QUALITY MATERIALS

The outer shell is constructed from 1.2mm thick 201 stainless steel, while the inner cavity features a 1.5mm thick 201 mirror panel stainless steel. This combination offers both durability and a sleek, reflective interior for optimal performance.





EFFICIENT HOT AIR CONVECTION

Equipped with rotary heating fan hot air circulation system, the oven ensures full convection of hot air and uniform heat distribution throughout the chamber.

Additionally, the oven is fitted with internal lights for better visibility.





PRECISE AUTOMATIC CONTROLS

The oven features an automatic temperature control system. It includes double timers that separately manage the baking time and steam spray duration, providing precise control over the baking process.



AUTOMATIC MOTOR REVERSAL

The motor is designed to reverse direction automatically at set intervals.

This function ensures even baking and consistent results across all batches.




Details









Real Shot Pictures







