BSM-5DHX Bakesphere Mini Hot Air Rotary Convection Oven

Main features of BSM-5DHX Bakesphere Mini Hot Air Rotary Convection Oven

Light customization is available.

1.Inside and outside of the oven all in stainless steel, strong function, smallsize, low energy consumption, large output

2.Automatic temperature control, double timers to control baking time and spray steam time separately

3.Adjustable duct to ensure the hot air full convection and uniformly distribution in the chamber, with lights


4. The motor can be automatically reversed on time to reach baking evebuy


5.Made of 1.2mm thick 201 stainless steel for the outer shell and 1.5mm thick 201 mirror panel stainless steel for the inner cavity.

Product images of BSM-5DHX Bakesphere Mini Hot Air Rotary Convection Oven



Specification





Model: BSM-5DHX Heating Way: Electric Power: 9KW Voltage: 105-110V / 220-240V / 380-415V N.W: 230KG Material: 1.2mm thick stainless steel shell, inner chamber 1.5mm thick 201 mirror panel stainless steel Capacity: 5 trays of 400*600mm (15.75 x 23.6 inch) * Other applicable baking tray sizes 460*720mm Maximum (18 x 28.3 inch) 460*660mm (18 x 26 inch)

450*650mm (17.7 x 25.6 inch)



Overall Description

Construction

- 1. Full stainless steel
- 2. Glass window door
- 3. Mounted on stainless steel stock rack
- 4. EXT.DIM L*W*H 30*54*67.5 inch (915x1375x1715mm)

Oven Features

- 1. Rotating baking rack design
- 2. 5 decks(3.5 inch space distance)
- 3. Applicable tray size: 15.75*23.6 inch /18*28.3 inch / 18*26 inch / 17.7*25.6 inch (400*600mm/460*720mm/460*660mm/450*650mm)
- 4. Motor: 1/2 HP (0.37KW)
- 5. Motor can automatically turns reversed direction

Controls

- 1. Baking temperature range: 150°F-570°F (6°C-300°C)
- 2. 12 minutes to reach 392°F (200°C)
- 3. 20 application menus, including 10 menus can be set up in 5 sections.
- 4. Separate control for baking timer and steaming timer
- 5. 380v/220v/110V, 50/60HZ, 9KW/13.5A cord

Product Features





DURABLE STAINLESS STEEL CONSTRUCTION

Both the interior and exterior of the oven are crafted from stainless steel, ensuring robust functionality and longevity.

The oven's design combines compact size with high output, all while maintaining low energy consumption.



HIGH-QUALITY MATERIALS

The outer shell is constructed from 1.2mm thick 201 stainless steel, while the inner cavity features a 1.5mm thick 201 mirror panel stainless steel. This combination offers both durability and a sleek, reflective interior for optimal performance.







EFFICIENT HOT AIR CONVECTION

Equipped with rotary heating fan hot air circulation system, the oven ensures full convection of hot air and uniform heat distribution throughout the chamber.

Additionally, the oven is fitted with internal lights for better visibility.



0

C

8


9

a

temperature control system. It includes double timers that separately manage the baking time and steam spray duration, providing precise control over the baking process

AUTOMATIC MOTOR REVERSAL

The motor is designed to reverse direction automatically at set intervals. This function ensures even baking and consistent results across all batches.



Details



