

BSM-5DHX Bakesphere Mini Forno de Convecção Rotativo de Ar Quente

Principais características do forno de convecção rotativo de ar quente BSM-5DHX Bakesphere Mini



A personalização leve está disponível.

1. Dentro e fora do forno, tudo em aço inoxidável, função forte, tamanho pequeno, baixo consumo de energia, grande produção
2. controle automático de temperatura, temporizadores duplos para controlar o tempo de cozimento e o tempo de vapor de pulverização separadamente
3. Duto ajustável para garantir a convecção total do ar quente e distribuição uniforme na câmara, com luzes
4. o motor pode ser revertido automaticamente a tempo de chegar ao cozimento e vice-versa
5. Feito de aço inoxidável 201 de 1,2 mm de espessura para o revestimento externo e painel de espelho 201 de 1,5 mm de espessura em aço inoxidável para a cavidade interna.

Imagens do produto BSM-5DHX Bakesphere Mini Forno de Convecção Rotativo de Ar Quente



Specification



Model: BSM-5DHX

Heating Way: Electric

Power: 9KW

Voltage: 105-110V / 220-240V / 380-415V

N.W: 230KG

Material: 1.2mm thick stainless steel shell, inner chamber

1.5mm thick 201 mirror panel stainless steel

Capacity: 5 trays of 400*600mm (15.75 x 23.6 inch)

* Other applicable baking tray sizes

460*720mm Maximum (18 x 28.3 inch)

460*660mm (18 x 26 inch)

450*650mm (17.7 x 25.6 inch)



Overall Description

Construction

1. Full stainless steel
2. Glass window door
3. Mounted on stainless steel stock rack
4. EXT.DIM L*W*H 30*54*67.5 inch (915x1375x1715mm)

Oven Features

1. Rotating baking rack design
2. 5 decks(3.5 inch space distance)
3. Applicable tray size: 15.75*23.6 inch / 18*28.3 inch / 18*26 inch / 17.7*25.6 inch
(400*600mm/460*720mm/460*660mm/450*650mm)
4. Motor: 1/2 HP (0.37KW)
5. Motor can automatically turns reversed direction

Controls

1. Baking temperature range: 150°F-570°F (6°C-300°C)
2. 12 minutes to reach 392°F (200°C)
3. 20 application menus, including 10 menus can be set up in 5 sections.
4. Separate control for baking timer and steaming timer
5. 380v/220v/110V, 50/60HZ, 9KW/13.5A cord

Product Features



DURABLE STAINLESS STEEL CONSTRUCTION

Both the interior and exterior of the oven are crafted from stainless steel, ensuring robust functionality and longevity.

The oven's design combines compact size with high output, all while maintaining low energy consumption.



HIGH-QUALITY MATERIALS

The outer shell is constructed from 1.2mm thick 201 stainless steel, while the inner cavity features a 1.5mm thick 201 mirror panel stainless steel. This combination offers both durability and a sleek, reflective interior for optimal performance.





EFFICIENT HOT AIR CONVECTION

Equipped with rotary heating fan hot air circulation system, the oven ensures full convection of hot air and uniform heat distribution throughout the chamber.

Additionally, the oven is fitted with internal lights for better visibility.



PRECISE AUTOMATIC CONTROLS

The oven features an automatic temperature control system. It includes double timers that separately manage the baking time and steam spray duration, providing precise control over the baking process



AUTOMATIC MOTOR REVERSAL

The motor is designed to reverse direction automatically at set intervals.



This function ensures even baking and consistent results across all batches.



Details









Real Shot Pictures







