


Alusteel OEM

OEM

- 1.
- 2.
3. /
4.
[Redacted text]
5. ;

OEM





(II) 單面膠帶

1. 單面膠帶 250mm 寬度

2. 單面膠帶

3. 單面膠帶

4. 單面膠帶

(III) 雙面膠帶

1. 雙面膠帶

2. 雙面膠帶

3. 雙面膠帶 Neutral

4. 雙面膠帶 (雙面膠帶)

雙面膠帶 雙面膠帶 雙面膠帶

雙面膠帶	雙面膠帶	雙面膠帶	雙面膠帶
雙面膠帶	TSTP	TSTP	TSTP
雙面膠帶	雙面膠帶 / 雙面膠帶	雙面膠帶 / 雙面膠帶	雙面膠帶 / 雙面膠帶
雙面膠帶	雙面膠帶	雙面膠帶	雙面膠帶
雙面膠帶	0.8 / 1.0mm / 1.2mm / 1.5mm	1.0 / 1.2 / 1.5mm	1.0 / 1.2 / 1.5mm
雙面膠帶	雙面膠帶 / 雙面膠帶 / 雙面膠帶	雙面膠帶 / 雙面膠帶 / 雙面膠帶	雙面膠帶 / 雙面膠帶 / 雙面膠帶
雙面膠帶	雙面膠帶 / 雙面膠帶	雙面膠帶	雙面膠帶 / 雙面膠帶
MOQ	50pcs	30sets	50pcs
雙面膠帶	20 雙面膠帶 / 雙面膠帶	5 雙面膠帶 / 雙面膠帶	10 雙面膠帶 / 雙面膠帶



OEM Baking Tray

Teflon Coated



Silicone Coated



customized strap loaf pan



customized single loaf pan




FOR ORDERING TIN SETS

PLEASE NOTE:

1. The dimensions of a single mould (A, B, C, D, H)
2. The number of moulds in a tin set
3. Type of the frame - Projecting (with handles) or Closed (adjacent) frame
4. Outside dimensions of the frame
5. Oven rack dimensions: (X, Y, Z)
6. Runner (shelve) size in mm
7. Type of coating: no coating, PFA, FEP, Silicone, blackened outside

COATINGS




Dimensions of the mould:


- A = length of the top (inside)
- B = width of the top (inside)
- C = length of the bottom (outside)
- D = width of the bottom (outside)
- H = height (inside)

Dimensions of the rack:

- X = width of the oven rack
- Y = free opening between the runners (shelves)
- Z = distance between the runners (shelves)



Technology Process






Application



□□□□□□□□ □□ □□□ □□□□ □□□□□□□□□□□□







Zoe Lee

TSINGBUY INDUSTRY LIMITED FACTORY PLANET
OEM & ODM - Bakeware and Customization



Tel

+86 186 1186 6087

+86 0755-85234769



Email

marketing@tsingbuy.com



Skype

+86 186 1186 6087



Whatsapp

+86 186 1186 6087



Web

www.chinabakeware.com



ADD

2 Floor B1 Building, No 22 Dafu Industry
park, Guanlan, Longhua District, Shenzhen, China 518110

□□□□□□□□□□□□□□□□□□□□



